

Color LED MFP

# RICOH SP C361SFNw

Printer  Copier  Facsimile  Scanner

**RICOH**  
imagine. change.



SP C361SFNw

**30** ppm  
monochrome  
full color



## Get a versatile MFP with high-quality color and a low TCO

For small businesses and work teams of up to four people looking to save on long-term printing expenses, the RICOH SP C361SFNw Multifunction Printer (MFP) provides a low total cost of ownership (TCO) while delivering high-quality results at speeds of up to 30 pages per minute (ppm). And with fewer moving parts than laser, LED technology lets you produce vivid color and professional 1200 x 1200 dpi-resolution documents that can help you communicate more effectively with your customers. Plus, with 10,000-page toner cartridges<sup>1</sup> and other high-yield supplies, you get a low cost per page (CPP) for both color and black-and-white documents. The SP C361SFNw is a reliable machine that's built to last, offers print, scan, copy and fax functionality, and can easily produce a minimum of 1,500 pages per month—helping to keep your work team highly productive.

### Work in the cloud from your MFP touchscreen

Your SP C361SFNw comes with a seven-inch Smart Operation Panel (SOP) that's preloaded with apps to help you streamline common tasks. The tablet-like functionality makes your work life easier—now you can customize the touchscreen and access the internet from your MFP. Navigate to the RICOH Application Site on your SOP to download additional apps that simplify workflows and create a more efficient print, copy, scan and fax experience. Today, many businesses use cloud applications as part of their daily business. Ricoh Integrated Cloud Environment (ICE)<sup>2</sup> enables you to connect to the latest cloud applications directly from the SP C361SFNw's SOP, so you don't miss a beat. Plus, with the intuitive setup wizard, you can set up your device and get on your network quickly and easily.



### Get an MFP that works for you and your team

There are a number of ways to make performing tasks align with the way you like to work. Plug into your company network, or go wireless to place your device where it's most accessible to your work team. Print quickly from smart devices with AirPrint®, Mopria® or Google Cloud Print™, or simply tap your Android™ phone to the Near Field Communication (NFC) tag on your device via RICOH Smart Device Connector. Plus, Web Image Monitor lets you monitor your MFP's status and change settings remotely.



### Maximize productivity with a high-performance MFP

Now you can keep jobs moving easily. With a first-page-out time of 7.2 seconds<sup>3</sup>, you won't get bogged down waiting for print jobs to start. And don't worry about waiting around at the beginning of the work day—your MFP has a recovery time of only 10 seconds. Move even faster with the Single Pass Document Feeder (SPDF) that lets you scan up to 60 images per minute (ipm)<sup>4</sup>, load 50 sheets at a time for uninterrupted scanning and scan double-sided documents in a single pass. You can also scan to a variety of destinations, including emails, folders and more. Streamline processes for your administrative staff with the pre-loaded ID Card Scan & Copy app—slide double-sided ID cards through the MFP's dedicated card slot to scan and copy the documents to create digital and hard-copy versions simultaneously. You can also purchase an optional carrier sheet to help protect thinner documents, such as receipts, that you pass through the card slot.



# Enjoy enhanced security with a versatile MFP

## Help keep your documents, data and network safe

With multiple types of built-in authentication, IP Filtering, SSL/TLS and more, you get enhanced network protection to help keep your information assets secure. Locked Print helps to provide document security by requiring users to enter pass codes to print documents. As an extra layer of security, the optional NFC card reader requires users to authenticate at the device with an NFC card—helping to ensure that only authorized individuals can gain access to the device.



## Simplify your work life with more flexibility

Meet a number of demands with the standard and bypass paper trays that support a variety of media—including envelopes, legal-size paper and thick 59-lb. Bond/120-lb. Index paper. If you choose to add the optional 250-sheet or 500-sheet paper tray, you can boost your paper capacity to a maximum of 850 sheets, reducing the number of times you need to reload. Adding an optional paper tray also increases your flexibility with the ability to load three different sizes and types of paper simultaneously so you can move between jobs more easily—print bills for clients, contracts for partners, large banners<sup>5</sup> and more—all without the need to interrupt your work by changing out paper.



## Keep the savings coming with an eco-friendly MFP

The SP C361SFNw has a small footprint, and a sleek, front-facing design. Plus, automatic duplex printing lets you save paper by printing double-sided documents. An EPEAT<sup>6</sup> Silver rating and ENERGY STAR<sup>®</sup> certification with a low Typical Electricity Consumption (TEC) of 1.3kWh/week helps you save even more over the long run. And a separate toner and drum gives you the ability to replace each component separately as needed to maximize use and reduce supply costs.



<sup>1</sup> Yield for Print Cartridge Black SP C360X only. Yields for other supply items vary.

<sup>2</sup> Subscription sold separately.

<sup>3</sup> First-page-out time for black-and-white printing. First-page-out time for color is 8.6 seconds.

<sup>4</sup> Maximum speed for scanning black-and-white documents. The maximum scan speed for color documents is 40 ipm.

<sup>5</sup> Up to 8.5" x 49.6"—only supported by the bypass tray.

<sup>6</sup> EPEAT<sup>®</sup> Silver rating is only applicable in the USA.

To view detailed features of our products online go to [www.ricoh-usa.com/products](http://www.ricoh-usa.com/products)

# RICOH SP C361SFNw

## SYSTEM SPECIFICATIONS



### Engine Specifications

Ricoh SP C361SFNw	Part # 408174
Configuration	Desktop
Technology	LED
Color/B&W	Color
Printing Process	Electro-photographic printing
Scanning Element	Flatbed Scanner with full color Contact Image Sensor (CIS)
Toner Type	Dry, single component
Color/B&W Print Speed (Letter)	30 ppm
Maximum Monthly Volume	Up to 7,500 prints
Maximum Monthly Duty Cycle	75,000 prints
First Page Out Time	B&W: 7.2 seconds / Color: 8.6 seconds
Warm-up Time	25 seconds
Standard Paper Capacity	1 x 250-sheet Tray + 100-sheet Bypass Tray
Maximum Paper Capacity	850 sheets
Standard Output Capacity	150 sheets
Supported Paper Sizes	Paper Tray: 3.25" x 5.83" – 8.5" x 14.0" Bypass Tray: 2.52" x 5.0" – 8.5" x 49.6"
Supported Paper Weights	All Trays: 16-59 lb. bond (56-220g/m2) Duplex: 16-43 lb. bond (56-163g/m2)
Supported Paper Types	Plain, Thick, Thin, Recycled, Color, Letterhead, Preprinted, Bond, Cardstock, Label, Glossy, Coated, Envelopes
Duplexing	Automatic (standard)
Dimensions (W x D x H)	16.5" x 21.3" x 21.5" (420 x 540 x 547 mm)
Weight	91.5 lbs. (41.5 kg)
Power Consumption (Operating)	B&W: 469 W / Color: 512 W
Power Consumption (Sleep Mode)	1.4 W
Typical Electricity Consumption (TEC)	1.3 kWh/week
Recovery from Sleep Mode	9.9 seconds
Power Requirements	120 V, 60Hz, 11A
ENERGY STAR EPEAT	Certified Silver

### Copy Specifications

Copy Resolution	600 x 600 dpi (Platen) 300 x 600 dpi (SPDF)
Document Feeder Type	Single Pass Document Feeder (SPDF)
Document Feeder Capacity	50 sheets
Document Feeder Original Size	5.5" x 5.5" to 8.5" x 23.6" (140 x 140 mm to 216 x 600 mm)
Document Feeder Paper Weight	14 – 34 lb. Bond (52 – 129 g/m2)
Maximum Original Size	Platen: Up to 8.5" x 11.7"/A4 (216 x 297 mm) SPDF: Up to 8.5" x 23.6" (216 x 600 mm)
Maximum Copy Quantity	999 copies
Preset Reduction & Enlargement Ratios	65%, 78%, 93%, 129%, 155%
Zoom Range	25% to 400% in 1% increments
ID Card Copy	Supported

### Copier Features

Auto Duplex, Auto Start, Combine Copy (2 in 1), Directional Size Magnification, Electronic Sort, ID Card Copy, Image Density (9 levels), Image Rotation, Image Quality Mode (Text, Photo, Text Photo, Lighten Background), Memory Copy, Auto Tray Switch, Series Copy, User Program

### Print Specifications

Processor Speed	1.2 GHz
Memory (Standard/Maximum)	2 GB RAM
Print Resolution	Up to 1200 x 1200 dpi
Printer Languages	PCL5c/6, PostScript3, PDF Direct Print
Connection Type	Gigabit Ethernet (1000BASE-T/100BASE-Tx/10BASE-T), USB 2.0, USB 2.0 Host, IEEE802.11a/b/g/n
Font Support	PCL/PS3: 93 fonts
Network Protocols	TCP/IP, Bonjour, DDNS
Supported Operating Systems	Windows 7, 8.1, 10, Systems Server 2008/R2, Server 2012/R2, Server 2016 Macintosh: OS X 10.9 or later, Citrix, Linux, Unix, SAP R/3, IBM iSeries/AS/400-using OS/400 Host Print Transform
Device Management Utilities	@Remote, Device Manager NX, Printer Driver Packager, Web Image Monitor
Mobile Printing	RICOH Smart Device Connector, AirPrint®, Google Cloud Print™, Mopria®

\* Expected availability Spring 2018.

### Other Print Features

Billing Code, Booklet (Magazine) Print, Banner Page Print, Black Over Print, CMYK Simulation, Collate, Dithering, Duplexing, Do Not Print Blank Pages, Front Cover Sheet, Header/Footer, Layout/N-up Printing, Locked Print, Mirror Image Print, Mobile Device Printing, Reduce/Enlarge Print, Reverse Order Print, Rotate Print, User Codes, User ID, Watermarks

### Scan Specifications

Scanner Resolution	Color and B&W: up to 600 dpi
Scanning Speed (Letter)	B&W: up to 60 ipm, Color: up to 40 ipm
Platen Size	Up to 8.5" x 11"/A4
Maximum Scanning Size	Up to 8.5" x 14"
Scan Modes	BW Text, BW Text/Photo, Gray Scale, Full Color Text/Photo, Full Color Glossy Photo
File Formats	JPEG, Single/Multi Page TIFF, Single/Multi Page PDF
Scan-To Modes	Scan-to-Email (POP, SMTP); Scan-to-Folder (SMB); Scan-to-Media (USB); TWAIN; Network TWAIN
Scan Protocols	Network: TCP/IP; Email: SMTP; Scan-to-Folder: SMB

### Facsimile Specifications

Fax Resolution	Up to 200 dpi
Fax Scanning Speed	28 spm
Modem Speed	33.6 kbps with auto fallback
Fax Compression Method	MH, MR, MMR
Fax Memory	SAF Memory: 2 GB Page Memory: 4 GB
Transmission Speed	Approximately 3 seconds/page*
Group Dials	20
Speed Dials	400
Standard Fax Features	LAN-Fax, Fax Forwarding to E-Mail/Folder, LDAP support, PSTN, PBX

\* ITU No.1 chart, Compression: MMR, Resolution: 200x100 dpi, Standard speed: 33.6 Kbps.

### Security Features

Windows Authentication, LDAP Authentication, Kerberos, Basic Authentication, User Code Authentication, 802.1x Wired Authentication, Authentication Pwd Encryption, SSL/TLS, SMTP over SSL/TLS, Network Protocol On/Off, IP Filtering, SMTP over SSL, Wireless LAN Security - WEP, 11i

### Controller Options

NFC Card Reader Type P14 Part # 408254

### Hardware Options

Paper Feed Unit TK1230	Part # 407399
Paper Capacity	250 sheets
Supported Paper Sizes	5.5" x 8.27" (140 x 210mm) – 8.5" x 14" (216 x 356mm)
Supported Paper Weight	16-59 lb. Bond (56-220 g/m2)
Dimensions (W x D x H)	15.8" x 20.3" x 3.8" (400 x 515 x 95 mm)
Weight	12.3 lbs. (5.6 kg)
Paper Feed Unit TK1240	Part # 407400
Paper Capacity	500 sheets
Supported Paper Sizes	5.5" x 8.27" (140 x 210 mm) – 8.5" x 14" (216 x 356mm)
Supported Paper Weight	16-59 lb. Bond (56-220 g/m2)
Dimensions (W x D x H)	15.8" x 20.3" x 4.8" (400 x 515 x 123 mm)
Weight	13 lbs. (6.1 kg)
Tall Cabinet Type N	Part # 52004
Dimensions (W x D x H)	15.8" x 20.2" x 18.3" (400 x 515 x 465 mm)
Weight	24.3 lbs. (11kg)

### Consumables and Yields

Print Cartridge Black SP C360X	10,000 pages*	Part # 408246
Print Cartridge Cyan SP C360X	9,000 pages*	Part # 408247
Print Cartridge Magenta SP C360X	9,000 pages*	Part # 408248
Print Cartridge Yellow SP C360X	9,000 pages*	Part # 408249
Print Cartridge Black SP C360HA	7,000 pages*	Part # 408176
Print Cartridge Cyan SP C360HA	5,000 pages*	Part # 408177
Print Cartridge Magenta SP C360HA	5,000 pages*	Part # 408178
Print Cartridge Yellow SP C360HA	5,000 pages*	Part # 408179
Black Drum Unit SP C352	15,000 pages	Part # 408223
Color Drum Unit SP C352	12,000 pages	Part # 408224
Fusing Unit SP C352	150,000 pages	Part # 408225
Transfer Unit SP C352	100,000 pages	Part # 408227
Waste Toner Bottle SP C352	13,000 pages	Part # 408228
Carrier Sheet Type P14	500 pages**	Part # 408256

\*Declared yield values in accordance with ISO/IEC 19798. Actual yields may vary based on images printed and other factors.

\*\* Ships in pack of three. Each carrier sheet yields approximately 500 uses.

The Ricoh SP C361SFNw ships with starter toner that yields 2,500 black pages / 1,500 Color pages (ISO/IEC 19798).

For maximum performance and yield we recommend using genuine Ricoh parts and supplies.

Specifications are subject to change without notice.

Some options may not be available at time of launch.

### Warranty

The Ricoh SP C361SFNw is under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever comes first. Please refer to warranty documents shipped with the product for more details.

**RICOH**  
imagine. change.

www.ricoh-usa.com

Ricoh USA, Inc., 70 Valley Stream Parkway, Malvern, PA 19355, 1-800-63-RICOH  
©2018. Ricoh USA, Inc. All rights reserved. Ricoh® and the Ricoh logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.



artesgraficasca.com  
Tel (502) 2360-1140